

18 13:46:00.356 6035-6269/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:00.356 6035-6269/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:00.356 6035-6269/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:00.356 6035-6269/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:00.532 6035-6273/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:00.532 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:00.532 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:00.532 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:00.532 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:00.534 6035-6270/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:01.370 6035-6269/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:01.370 6035-6269/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:01.370 6035-6270/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CONNECTED
2021-02-18 13:46:01.372 6035-6270/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:01.494 6035-6273/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason: Normal disconnect. State: CLOSED
2021-02-18 13:46:01.532 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:01.533 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:01.534 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:01.534 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:02.385 6035-6278/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop executor thread started.
2021-02-18 13:46:02.385 6035-6269/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 55cc0732-8b27-48e3-8b4b-afde6d423820
2021-02-18 13:46:02.386 6035-6278/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:02.386 6035-6270/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop executor thread finished.
2021-02-18 13:46:02.387 6035-6279/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop executor thread started.
2021-02-18 13:46:02.388 6035-6269/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 17b4aeeec-b8f4-4f22-ba2d-9050cb541ee9
2021-02-18 13:46:02.388 6035-6269/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop executor thread finished.
2021-02-18 13:46:02.388 6035-6279/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:02.772 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:02.772 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:02.772 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:02.772 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:03.119 6035-6281/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to: wss://xxxxxxx.ru:8443
2021-02-18 13:46:03.137 6035-6280/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to: wss://xxxxxxx.ru:8443
2021-02-18 13:46:03.773 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:03.773 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:03.773 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:03.773 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:03.773 6035-6280/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:03.773 6035-6280/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"ConnectionStatusEvent"}}
2021-02-18 13:46:03.775 6035-6278/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:03.775 6035-6280/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason: Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:03.776 6035-6281/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:03.776 6035-6281/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"ConnectionStatusEvent"}}
2021-02-18 13:46:03.777 6035-6278/com.xxxxxx.xxxxxxx E/Session: null
java.lang.reflect.InvocationTargetException
at java.lang.reflect.Method.invoke(Native Method)
at com.flashphoner.fpwcsapi.session.Session\$2.onWebSocketMessage(Session.java:392)
at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient\$WebSocketConnection\$2.run(WebSocketChannelClient.java:216)
at android.os.Handler.handleCallback(Handler.java:900)
at android.os.Handler.dispatchMessage(Handler.java:103)
at android.os.Looper.loop(Looper.java:219)
at com.flashphoner.fpwcsapi.util.LoopExecutor.run(LoopExecutor.java:44)
Caused by: org.java_websocket.exceptions.WebsocketNotConnectedException
at org.java_websocket.WebSocketImpl.send(WebSocketImpl.java:573)
at org.java_websocket.WebSocketImpl.send(WebSocketImpl.java:550)
at org.java_websocket.client.WebSocketClient.send(WebSocketClient.java:145)
at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient\$2.run(WebSocketChannelClient.java:119)
at com.flashphoner.fpwcsapi.util.LoopExecutor.execute(LoopExecutor.java:128)
at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient.execute(WebSocketChannelClient.java:110)
at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient.execute(WebSocketChannelClient.java:101)
at com.flashphoner.fpwcsapi.session.Session\$1.ping(Session.java:124)
at java.lang.reflect.Method.invoke(Native Method)
at com.flashphoner.fpwcsapi.session.Session\$2.onWebSocketMessage(Session.java:392)
at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient\$WebSocketConnection\$2.run(WebSocketChannelClient.java:216)
at android.os.Handler.handleCallback(Handler.java:900)
at android.os.Handler.dispatchMessage(Handler.java:103)
at android.os.Looper.loop(Looper.java:219)
at com.flashphoner.fpwcsapi.util.LoopExecutor.run(LoopExecutor.java:44)
2021-02-18 13:46:03.778 6035-6281/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason: Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:03.778 6035-6279/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping

```

2021-02-18 13:46:03.779 6035-6278/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@f936ab6
2021-02-18 13:46:03.780 6035-6278/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:03.780 6035-6278/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:03.780 6035-6278/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:03.780 6035-6278/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:03.781 6035-6279/com.xxxxxx.xxxxxxx E/Session: null
java.lang.reflect.InvocationTargetException
    at java.lang.reflect.Method.invoke(Native Method)
    at com.flashphoner.fpwcsapi.session.Session$2.onWebSocketMessage(Session.java:392)
    at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient$WebSocketConnection$2.run(WebSocketChannelClient.java:216)
    at android.os.Handler.handleCallback(Handler.java:900)
    at android.os.Handler.dispatchMessage(Handler.java:103)
    at android.os.Looper.loop(Looper.java:219)
    at com.flashphoner.fpwcsapi.util.LoopExecutor.run(LoopExecutor.java:44)
Caused by: org.java_websocket.exceptions.WebsocketNotConnectedException
    at org.java_websocket.WebSocketImpl.send(WebSocketImpl.java:573)
    at org.java_websocket.WebSocketImpl.send(WebSocketImpl.java:550)
    at org.java_websocket.client.WebSocketClient.send(WebSocketClient.java:145)
    at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient$2.run(WebSocketChannelClient.java:119)
    at com.flashphoner.fpwcsapi.util.LoopExecutor.execute(LoopExecutor.java:128)
    at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient.execute(WebSocketChannelClient.java:110)
    at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient.execute(WebSocketChannelClient.java:101)
    at com.flashphoner.fpwcsapi.session.Session$1.ping(Session.java:124)
    at java.lang.reflect.Method.invoke(Native Method)
    at com.flashphoner.fpwcsapi.session.Session$2.onWebSocketMessage(Session.java:392)
    at com.flashphoner.fpwcsapi.ws.WebSocketChannelClient$WebSocketConnection$2.run(WebSocketChannelClient.java:216)
    at android.os.Handler.handleCallback(Handler.java:900)
    at android.os.Handler.dispatchMessage(Handler.java:103)
    at android.os.Looper.loop(Looper.java:219)
    at com.flashphoner.fpwcsapi.util.LoopExecutor.run(LoopExecutor.java:44)
2021-02-18 13:46:03.787 6035-6279/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@77a428d
2021-02-18 13:46:03.787 6035-6279/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:03.787 6035-6279/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:03.787 6035-6279/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:03.787 6035-6279/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:04.801 6035-6448/com.xxxxxx.xxxxxxx D/LoopExecutor: Loop thread started.
2021-02-18 13:46:04.802 6035-6279/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 4ef4213f-f1da-4889-9217-4cc7d6724b36
2021-02-18 13:46:04.802 6035-6279/com.xxxxxx.xxxxxxx D/LoopExecutor: Loop thread finished.
2021-02-18 13:46:04.803 6035-6448/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:04.804 6035-6449/com.xxxxxx.xxxxxxx D/LoopExecutor: Loop thread started.
2021-02-18 13:46:04.804 6035-6278/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 365c050f-cbd7-44a4-b88c-1ae4e63e2a7b
2021-02-18 13:46:04.805 6035-6278/com.xxxxxx.xxxxxxx D/LoopExecutor: Loop thread finished.
2021-02-18 13:46:04.805 6035-6449/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:04.900 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:04.900 6035-6225/com.xxxxxx.xxxxxxx W/LoopExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:04.900 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:04.900 6035-6199/com.xxxxxx.xxxxxxx W/LoopExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:05.333 6035-6452/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:05.333 6035-6450/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:05.490 6035-6113/com.xxxxxx.xxxxxxx W/org.webrtc.Logging: WebRtcAudioManager: Invalid audio mode:
MODE_NORMAL
2021-02-18 13:46:05.692 6035-6452/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C:
{"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"","ConnectionStatusEvent"}}
2021-02-18 13:46:05.695 6035-6449/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@23dacb
2021-02-18 13:46:05.698 6035-6452/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:05.698 6035-6449/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:05.699 6035-6449/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:05.699 6035-6449/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:05.699 6035-6449/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:05.892 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:05.892 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:05.892 6035-6225/com.xxxxxx.xxxxxxx W/LoopExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:05.892 6035-6199/com.xxxxxx.xxxxxxx W/LoopExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:05.893 6035-6450/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:05.895 6035-6448/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:06.729 6035-6457/com.xxxxxx.xxxxxxx D/LoopExecutor: Loop thread started.
2021-02-18 13:46:06.729 6035-6449/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: a9768652-0843-4202-b671-8f0295223267
2021-02-18 13:46:06.730 6035-6457/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:06.730 6035-6449/com.xxxxxx.xxxxxxx D/LoopExecutor: Loop thread finished.
2021-02-18 13:46:07.052 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:07.052 6035-6225/com.xxxxxx.xxxxxxx W/LoopExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:07.053 6035-6450/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:07.057 6035-6448/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping

```

2021-02-18 13:46:07.062 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:07.062 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:07.134 6035-6450/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C:
{"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"ConnectionStatusEvent"}}
2021-02-18 13:46:07.139 6035-6448/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@392d843
2021-02-18 13:46:07.139 6035-6450/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:07.139 6035-6448/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:07.139 6035-6448/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:07.139 6035-6448/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:07.140 6035-6448/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:07.680 6035-6458/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:08.066 6035-6458/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:08.066 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:08.066 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:08.067 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:08.067 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:08.068 6035-6457/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:08.166 6035-6448/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:08.166 6035-6448/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:08.167 6035-6457/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CONNECTED
2021-02-18 13:46:08.167 6035-6457/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:08.322 6035-6458/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Normal disconnect. State: CLOSED
2021-02-18 13:46:09.093 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:09.093 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:09.093 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:09.093 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:09.194 6035-6461/com.xxxxxx.xxxxxxx D/LooperExecutor: Looper thread started.
2021-02-18 13:46:09.194 6035-6448/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: d9730ff5-6b4f-4797-89b4-bb8e68e8f61c
2021-02-18 13:46:09.195 6035-6461/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:09.195 6035-6457/com.xxxxxx.xxxxxxx D/LooperExecutor: Looper thread finished.
2021-02-18 13:46:09.196 6035-6462/com.xxxxxx.xxxxxxx D/LooperExecutor: Looper thread started.
2021-02-18 13:46:09.197 6035-6448/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 7e0e4b52-3205-4990-b76a-79b5c96c946d
2021-02-18 13:46:09.197 6035-6448/com.xxxxxx.xxxxxxx D/LooperExecutor: Looper thread finished.
2021-02-18 13:46:09.197 6035-6462/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:10.057 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:10.057 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:10.057 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:10.057 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:10.212 6035-6463/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:10.290 6035-6465/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:11.049 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:11.049 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:11.050 6035-6463/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:11.050 6035-6465/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:11.052 6035-6461/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:11.052 6035-6462/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:11.057 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:11.057 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:11.257 6035-6463/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C:
{"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"ConnectionStatusEvent"}}
2021-02-18 13:46:11.262 6035-6463/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:11.261 6035-6461/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@a8a5833
2021-02-18 13:46:11.262 6035-6461/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:11.262 6035-6461/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:11.262 6035-6461/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:11.262 6035-6461/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:12.052 6035-6465/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:12.052 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:12.052 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:12.054 6035-6462/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:12.060 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:12.060 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:12.286 6035-6461/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:12.286 6035-6461/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:12.286 6035-6462/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CONNECTED
2021-02-18 13:46:12.294 6035-6462/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:12.402 6035-6465/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Normal disconnect. State: CLOSED
2021-02-18 13:46:13.077 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}
2021-02-18 13:46:13.077 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:13.077 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":[]}

2021-02-18 13:46:13.077 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:13.302 6035-6468/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop thread started.
2021-02-18 13:46:13.304 6035-6461/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 4a8408e1-6986-4c7a-8351-79dc2e47d8bc
2021-02-18 13:46:13.303 6035-6468/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:13.303 6035-6462/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop thread finished.
2021-02-18 13:46:13.304 6035-6469/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop thread started.
2021-02-18 13:46:13.305 6035-6461/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: 6431637c-0107-4f78-a342-7193427ddca8
2021-02-18 13:46:13.305 6035-6469/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:13.305 6035-6461/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop thread finished.
2021-02-18 13:46:14.057 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:14.057 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:14.057 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:14.057 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:14.204 6035-6472/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:14.539 6035-6470/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection opened to:
wss://xxxxxxx.ru:8443
2021-02-18 13:46:15.067 6035-6472/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:15.067 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:15.067 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:15.067 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:15.067 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:15.068 6035-6470/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:15.069 6035-6469/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:15.069 6035-6468/com.xxxxxx.xxxxxxx I/Session: Invoker class method: ping
2021-02-18 13:46:15.221 6035-6472/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C:
{"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"ConnectionStatusEvent"}}
2021-02-18 13:46:15.223 6035-6469/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@942d952
2021-02-18 13:46:15.224 6035-6472/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:15.225 6035-6469/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:15.225 6035-6469/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:15.225 6035-6469/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:15.225 6035-6469/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:15.299 6035-6470/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C:
{"message":"fail","data":{"status":"FAILED","info":"","apiMethod":"ConnectionStatusEvent"}}
2021-02-18 13:46:15.301 6035-6470/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WebSocket connection closed. Code: 1000. Reason:
Disconnected by error on REST method /connect. State: CONNECTED
2021-02-18 13:46:15.301 6035-6468/com.xxxxxx.xxxxxxx W/Session: No such method com.flashphoner.fpwcsapi.ws.WSMessage@e68d20
2021-02-18 13:46:15.302 6035-6468/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: CLOSED
2021-02-18 13:46:15.302 6035-6468/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.
2021-02-18 13:46:15.302 6035-6468/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:15.302 6035-6468/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:15.489 6035-6113/com.xxxxxx.xxxxxxx W/org.webrtc.Logging: WebRtcAudioManager: Invalid audio mode:
MODE_NORMAL
2021-02-18 13:46:16.089 6035-6225/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:16.089 6035-6199/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: WSS->C: {"message":"ping","data":{}}
2021-02-18 13:46:16.089 6035-6225/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:16.089 6035-6199/com.xxxxxx.xxxxxxx W/LooperExecutor: Running loop executor without calling requestStart()
2021-02-18 13:46:16.239 6035-6476/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop thread started.
2021-02-18 13:46:16.240 6035-6469/com.xxxxxx.xxxxxxx I/xxxxxxlog: connectToServer: wss://xxxxxxx.ru:8443 SessionID: f93b075e-ce17-410c-99f4-12229aea3a1a
2021-02-18 13:46:16.241 6035-6476/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Connecting WebSocket to: wss://xxxxxxx.ru:8443.
2021-02-18 13:46:16.241 6035-6469/com.xxxxxx.xxxxxxx D/LooperExecutor: Loop thread finished.
2021-02-18 13:46:16.313 6035-6468/com.xxxxxx.xxxxxxx I/xxxxxxlog: onDisconnection
2021-02-18 13:46:16.313 6035-6468/com.xxxxxx.xxxxxxx I/xxxxxxlog: SeriousInfo:Нет связи с сервером.
2021-02-18 13:46:16.313 6035-6476/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnect WebSocket. State: NEW
2021-02-18 13:46:16.313 6035-6476/com.xxxxxx.xxxxxxx D/WebSocketChannelClient: Disconnecting WebSocket done.