

yes

* *

* Starting FlashphonerWebCallServer installation *

* *

We have found these IP on your server

External IP	Local IPs
78.188.3.82	192.168.174.132

Is your server located in your LAN [yes/no] ? yes

Thanks. We have configured:

ip = 192.168.174.132

ip_local = 192.168.174.132

Press any key to continue...

* *

* Configuring Flashphoner parameters *

* *

* All parameters will be recorded to the file 'flashphoner.properties' *

* (/usr/local/FlashphonerWebCallServer/conf/flashphoner.properties). *

* You can configure it later, if so - just leave all the fields blank (press Enter all time). *

* *

- Configuration complete. Your configuration parameters:

#Config

# ip	- External IP-address of server where Flashphoner installed (xxx.xxx.xxx.xxx)
# ip_local	- Local IP-address of server where Flashphoner installed (xxx.xxx.xxx.xxx)
# port_from	- Begin of range of ports for SIP signaling (integer)
# port_to	- End of range of ports for SIP signaling (integer)
# media_port_from	- Begin of range of ports for media-traffic (integer)
# media_port_to	- End of range of ports for media-traffic (integer)
# waiting_answer (seconds, integer)	- How many time will Flashphoner client wait for answer from other side
# serial_number	- Flashphoner license. You can get it here - http://flashphoner.com/license
# user_agent Flashphoner/1.0]	- SIP User Agent header, example: Flashphoner/1.0 [Default:
# balance_header	- SIP header name for balance info [Default: balance]
# cost_header	- SIP header name for cost info [Default: cost]
# video_enabled	- Enabling of video support (true/false)
# domain	- Domain address of voip server (xxx.xxx.xxx.xxx)
# outbound_proxy	- Outbound proxy (xxx.xxx.xxx.xxx)
# outbound_port	- Port for outbound proxy
# dtmf	- Dual-Tone Multi-Frequency. Values: rfc2833, info
# log_level	- Level of logging (1-10)
# enable_context_logs	- Context logs with login,port and sip call id
# rtp_activity_detecting	- Hangup, if incomming audio stream is empty few seconds. Format:(true/false),seconds. Example:true,5
# force_h264_to_sorenson	- Transcoding incoming stream from H264 to Sorenson Park
# force_h264_to_h264	- Transcoding incoming stream from H264 to H264 (frame without slices)
# h264_max_nalu_size	- Max NALU size for H264
# codecs	- List of supported codecs, ordered by priority. Example: alaw, ulaw, g729, speex16, h263
# codecs_exclude_sip	- List of codecs that should be excluded in sip call

codecs_exclude_streaming - List of codecs that should be excluded in streaming

codecs_exclude_sip_rtmp - List of codecs that should be excluded in sip as rtmp

sip_msg_listener - Class, defined by developer. The class must implement interface ISipMessageListener. Example: com.flashphoner.sdk.sip.ChangeCallIdListener

priority_outside_codecs - Priority of outside codecs

remove_ssrc_attr - Remove ssrc attribute from local sdp

max_callid_length - Max call id length (min 4; max 32)

use_tcp_for_long_sip_messages - Use TCP transport for messages with big size

enable_candidate_harvester - Enable stun candidate hasvester

save_client_logs - Save client logs after disconnect

enable_extended_logging - Save user logs in individual folder, true is default value

record - Folder for record audio from calls. If empty then recording will be disabled

record_filename_template - Template for file name of record. Default: {id}-{date}

preserve_non_mixed_recorded_files - Preserve non mixed recorded files. Default: false

recording_by_user - Recording media by user side. Default: false

ip =192.168.174.132

ip_local =192.168.174.132

port_from =30000

port_to =31000

media_port_from =31001

media_port_to =32000

waiting_answer =60

user_agent =Flashphoner/1.0

balance_header =balance

cost_header =cost

video_enabled =true

domain =

outbound_proxy =

outbound_port =

log_level =5

```

enable_context_logs =false
rtp_activity_detecting =true,60
sip_msg_listener    =com.flashphoner.sdk.sip.ChangeCallIdListener
call_record_listener =com.flashphoner.server.client.DefaultCallRecordListener
dtmf                =rfc2833
auto_login_url      =/usr/local/FlashphonerWebCallServer/conf/account.xml
get_callee_url      =/usr/local/FlashphonerWebCallServer/conf/callee.xml
codecs              =opus,alaw,ulaw,g729,speex16,g722,mpeg4-generic,telephone-
event,h264,vp8,flv,mpv
codecs_exclude_sip   =mpeg4-generic,flv,mpv
codecs_exclude_streaming =flv,telephone-event
codecs_exclude_sip_rtmp =opus,g729,g722,mpeg4-generic,vp8,mpv
on_record_hook_script =on_record_hook.sh
rtmp_transponder_stream_name_prefix =rtmp_

```

- You can edit it here - /usr/local/FlashphonerWebCallServer/conf/flashphoner.properties

COPYING files...

- Copying completed.

Do you want to start WebCallServer at server startup? [yes/no]

yes

```

*****
*****
*
*
*      Installation complete!      *
*      Thank you for trying Flashphoner!      *
*
*
*      Please restart FlashphonerWebCallServer before start the work.
*
*      Write us with any questions to support@flashphoner.com      *
*
*

```

*

*


```
root@kdogutas:~/flashphoner/FlashphonerWebCallServer-5.0.3233# update-alternatives --config java
```

There is only one alternative in link group java (providing /usr/bin/java): /usr/lib/jvm/java-8-openjdk-i386/jre/bin/java

Nothing to configure.

```
root@kdogutas:~/flashphoner/FlashphonerWebCallServer-5.0.3233# service webcallserver start
```

```
root@kdogutas:~/flashphoner/FlashphonerWebCallServer-5.0.3233# tail -f /usr/local/FlashphonerWebCallServer/logs/flashphoner_manager.log
```

```
09:58:30,808 INFO PostProcessorChecker - main Bean '(inner bean)#1e6d872' of type [class org.springframework.messaging.integration.channel.MessagePublishingErrorHandler] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)
```

```
09:58:30,817 INFO ThreadPoolTaskScheduler - main Initializing ExecutorService 'taskScheduler'
```

```
09:58:30,818 INFO PostProcessorChecker - main Bean 'taskScheduler' of type [class org.springframework.scheduling.concurrent.ThreadPoolTaskScheduler] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)
```

```
09:58:30,884 INFO PostProcessorChecker - main Bean 'integrationHeaderChannelRegistry' of type [class org.springframework.messaging.integration.channel.DefaultHeaderChannelRegistry] is not eligible for getting processed by all BeanPostProcessors (for example: not eligible for auto-proxying)
```

```
09:58:31,553 INFO ServletContainerFactory - main Server initialized with port: 9091
```

```
09:58:31,845 INFO StandardService - main Starting service Tomcat
```

```
09:58:31,847 INFO StandardEngine - main Starting Servlet Engine: Apache Tomcat/8.0.8
```

```
09:58:33,431 INFO [/] - localhost-startStop-1 Initializing Spring embedded WebApplicationContext
```

```
09:58:33,432 INFO ContextLoader - localhost-startStop-1 Root WebApplicationContext: initialization completed in 7875 ms
```

09:58:33,636 INFO LoginFilterConfig - localhost-startStop-1 Init rmiConnectionManager
com.flashphoner.server.manager.rmi.RmiConnectionManager@57ea7e

09:58:37,473 INFO DatabaseConfig - localhost-startStop-1 First start detected, setting ddl-mode
to create

09:58:37,473 INFO DatabaseConfig - localhost-startStop-1 Starting database with config:
Database
Config{url='jdbc:h2:/usr/local/FlashphonerWebCallServer/database/wcs_manager;DB_CLOSE_ON_EXIT=FALSE;JMX
=true',
driverClassName='org.h2.Driver', username='admin', password='admin', database='H2', ddlMode='create', showSql='false'}

09:58:37,523 INFO tyManagerFactoryBean - localhost-startStop-1 Building JPA container
EntityManagerFactory for
persistence unit 'default'

09:58:37,569 INFO LogHelper - localhost-startStop-1 HHH000204: Processing
PersistenceUnitInfo [
 name: default
 ...]

09:58:37,774 INFO Version - localhost-startStop-1 HHH000412: Hibernate Core {4.3.6.Final}

09:58:37,789 INFO Environment - localhost-startStop-1 HHH000206: hibernate.properties not
found

09:58:37,792 INFO Environment - localhost-startStop-1 HHH000021: Bytecode provider name :
javassist

09:58:38,534 INFO Version - localhost-startStop-1 HCANN000001: Hibernate Commons
Annotations {4.0.5.Final}

09:58:38,650 INFO HikariDataSource - localhost-startStop-1 HikariPool-1 - Starting...

09:58:39,027 INFO PoolBase - localhost-startStop-1 HikariPool-1 - Driver does not support
get/set network timeout for connections. (org.h2.jdbc.JdbcConnection.getNetworkTimeout())

09:58:39,047 INFO HikariDataSource - localhost-startStop-1 HikariPool-1 - Start completed.

09:58:39,124 INFO Dialect - localhost-startStop-1 HHH000400: Using dialect:
org.hibernate.dialect.H2Dialect

09:58:39,684 INFO QueryTranslatorFactory - localhost-startStop-1 HHH000397: Using
ASTQueryTranslatorFactory

09:58:40,602 INFO SchemaExport - localhost-startStop-1 HHH000227: Running hbm2ddl schema
export

09:58:40,612 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
app_permission drop constraint FK_h4fuyhhyk9athv0jjifgeom if exists

09:58:40,612 ERROR SchemaExport - localhost-startStop-1 Table "APP_PERMISSION" not found;
SQL statement:

alter table app_permission drop constraint FK_h4fuyhhhyk9athv0jjiifgeom if exists [42102-184]

09:58:40,613 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
app_permission drop constraint FK_3vly7rd1x8ix1yriyqf0aqfev if exists

09:58:40,613 ERROR SchemaExport - localhost-startStop-1 Table "APP_PERMISSION" not found;
SQL statement:

alter table app_permission drop constraint FK_3vly7rd1x8ix1yriyqf0aqfev if exists [42102-184]

09:58:40,614 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
app_rest_methods drop constraint FK_rlfnd5x0vby45lvy63o7djy15 if exists

09:58:40,614 ERROR SchemaExport - localhost-startStop-1 Table "APP_REST_METHODS" not
found; SQL statement:

alter table app_rest_methods drop constraint FK_rlfnd5x0vby45lvy63o7djy15 if exists [42102-184]

09:58:40,614 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
app_rest_methods drop constraint FK_cvt17ajloqin3bkpyryw9scsq if exists

09:58:40,615 ERROR SchemaExport - localhost-startStop-1 Table "APP_REST_METHODS" not
found; SQL statement:

alter table app_rest_methods drop constraint FK_cvt17ajloqin3bkpyryw9scsq if exists [42102-184]

09:58:40,615 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
apps drop constraint FK_6n8ft264968vgbxl8nb7tyjaj if exists

09:58:40,615 ERROR SchemaExport - localhost-startStop-1 Table "APPS" not found; SQL
statement:

alter table apps drop constraint FK_6n8ft264968vgbxl8nb7tyjaj if exists [42102-184]

09:58:40,616 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
apps drop constraint FK_2xtlioqtnjfcaabsgv0rculme if exists

09:58:40,616 ERROR SchemaExport - localhost-startStop-1 Table "APPS" not found; SQL
statement:

alter table apps drop constraint FK_2xtlioqtnjfcaabsgv0rculme if exists [42102-184]

09:58:40,616 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
calls drop constraint FK_bbfu52a31jll6mbu4p0lkb7n5 if exists

09:58:40,617 ERROR SchemaExport - localhost-startStop-1 Table "CALLS" not found; SQL
statement:

alter table calls drop constraint FK_bbfu52a31jll6mbu4p0lkb7n5 if exists [42102-184]

09:58:40,617 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table
message drop constraint FK_1e8umvnk90mpnrr1ok6uak5r3 if exists

09:58:40,617 ERROR SchemaExport - localhost-startStop-1 Table "MESSAGE" not found; SQL statement:

alter table message drop constraint FK_1e8umvnk90mpnrr1ok6uak5r3 if exists [42102-184]

09:58:40,618 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table node_config_item drop constraint FK_2ms5tcuy4h8j7rpvqrx6pbqwu if exists

09:58:40,618 ERROR SchemaExport - localhost-startStop-1 Table "NODE_CONFIG_ITEM" not found; SQL statement:

alter table node_config_item drop constraint FK_2ms5tcuy4h8j7rpvqrx6pbqwu if exists [42102-184]

09:58:40,618 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table node_config_item drop constraint FK_iq5kduk4382p7iih6en9jjbou if exists

09:58:40,619 ERROR SchemaExport - localhost-startStop-1 Table "NODE_CONFIG_ITEM" not found; SQL statement:

alter table node_config_item drop constraint FK_iq5kduk4382p7iih6en9jjbou if exists [42102-184]

09:58:40,619 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table nodes_node_settings drop constraint FK_hfp7gltxcrvh0k9a6gr2y4l29 if exists

09:58:40,619 ERROR SchemaExport - localhost-startStop-1 Table "NODES_NODE_SETTINGS" not found; SQL statement:

alter table nodes_node_settings drop constraint FK_hfp7gltxcrvh0k9a6gr2y4l29 if exists [42102-184]

09:58:40,620 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table nodes_node_settings drop constraint FK_7epdr9v0ph55u10qwmdmqe3c4 if exists

09:58:40,620 ERROR SchemaExport - localhost-startStop-1 Table "NODES_NODE_SETTINGS" not found; SQL statement:

alter table nodes_node_settings drop constraint FK_7epdr9v0ph55u10qwmdmqe3c4 if exists [42102-184]

09:58:40,620 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table permission_group drop constraint FK_m90lyjak70g3u64p5qf6hecs if exists

09:58:40,621 ERROR SchemaExport - localhost-startStop-1 Table "PERMISSION_GROUP" not found; SQL statement:

alter table permission_group drop constraint FK_m90lyjak70g3u64p5qf6hecs if exists [42102-184]

09:58:40,621 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table permission_group drop constraint FK_ebbd7g7rnumi8ffe17vblcbff if exists

09:58:40,621 ERROR SchemaExport - localhost-startStop-1 Table "PERMISSION_GROUP" not found; SQL statement:

alter table permission_group drop constraint FK_ebbd7g7rnumi8ffe17vblcbff if exists [42102-184]

09:58:40,622 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table permission_user drop constraint FK_lr1cs9auafpdwy6hjk2iot7e0 if exists

09:58:40,622 ERROR SchemaExport - localhost-startStop-1 Table "PERMISSION_USER" not found; SQL statement:

alter table permission_user drop constraint FK_lr1cs9auafpdwy6hjk2iot7e0 if exists [42102-184]

09:58:40,622 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table permission_user drop constraint FK_es7a4puudvo43y7e4ljgww6jq if exists

09:58:40,623 ERROR SchemaExport - localhost-startStop-1 Table "PERMISSION_USER" not found; SQL statement:

alter table permission_user drop constraint FK_es7a4puudvo43y7e4ljgww6jq if exists [42102-184]

09:58:40,623 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table permissions drop constraint FK_g2ms3hh726vpquhv4fnam8eqn if exists

09:58:40,623 ERROR SchemaExport - localhost-startStop-1 Table "PERMISSIONS" not found; SQL statement:

alter table permissions drop constraint FK_g2ms3hh726vpquhv4fnam8eqn if exists [42102-184]

09:58:40,624 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table session drop constraint FK_tfds747ur0gcexiqrjddss3xo if exists

09:58:40,624 ERROR SchemaExport - localhost-startStop-1 Table "SESSION" not found; SQL statement:

alter table session drop constraint FK_tfds747ur0gcexiqrjddss3xo if exists [42102-184]

09:58:40,625 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table session drop constraint FK_8l9lk9agngup4hbj9xcxjy02v if exists

09:58:40,625 ERROR SchemaExport - localhost-startStop-1 Table "SESSION" not found; SQL statement:

alter table session drop constraint FK_8l9lk9agngup4hbj9xcxjy02v if exists [42102-184]

09:58:40,625 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table session drop constraint FK_c9lpky7bxclu4w6y27amrbebf if exists

09:58:40,626 ERROR SchemaExport - localhost-startStop-1 Table "SESSION" not found; SQL statement:

alter table session drop constraint FK_c9lpky7bxclu4w6y27amrbebf if exists [42102-184]

09:58:40,626 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table stream_stat_3 drop constraint FK_8grqn4skyk7pyel77hi9bywee if exists

09:58:40,627 ERROR SchemaExport - localhost-startStop-1 Table "STREAM_STAT_3" not found; SQL statement:

alter table stream_stat_3 drop constraint FK_8grqn4skyk7pyel77hi9bywee if exists [42102-184]

09:58:40,627 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table user_group drop constraint FK_789v3ejjs9uj5vu1ufexj2tbv if exists

09:58:40,627 ERROR SchemaExport - localhost-startStop-1 Table "USER_GROUP" not found; SQL statement:

alter table user_group drop constraint FK_789v3ejjs9uj5vu1ufexj2tbv if exists [42102-184]

09:58:40,628 ERROR SchemaExport - localhost-startStop-1 HHH000389: Unsuccessful: alter table user_group drop constraint FK_mps81qti05d9he0y66y5jt845 if exists

09:58:40,628 ERROR SchemaExport - localhost-startStop-1 Table "USER_GROUP" not found; SQL statement:

alter table user_group drop constraint FK_mps81qti05d9he0y66y5jt845 if exists [42102-184]

09:58:40,710 INFO SchemaExport - localhost-startStop-1 HHH000230: Schema export complete

09:58:41,707 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain: Ant [pattern='/css/**'], []

09:58:41,707 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain: Ant [pattern='/js/**'], []

09:58:41,707 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain: Ant [pattern='/images/**'], []

09:58:41,707 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain: Ant [pattern='**/favicon.ico'], []

09:58:41,707 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain: Ant [pattern='/error'], []

09:58:41,968 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain:
org.springframework.security.web.util.matcher.AnyRequestMatcher@1,
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@15bd18b, org.springframework.security.web.context.SecurityContextPersistenceFilter@b69f08, org.springframework.security.web.header.HeaderWriterFilter@1b546f, org.springframework.security.web.authentication.logout.LogoutFilter@d25da4, org.springframework.security.web.authentication.UsernamePasswordAuthenticationFilter@1d297e, org.springframework.security.web.savedrequest.RequestCacheAwareFilter@1ffedff, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@21a89d, org.springframework.security.web.authentication.AnonymousAuthenticationFilter@9c32ea, org.springframework.security.web.session.SessionManagementFilter@1e0f0f4, org.springframework.security.web.access.ExceptionTranslationFilter@10df605, org.springframework.security.web.access.intercept.FilterSecurityInterceptor@180a296]

09:58:41,985 INFO tSecurityFilterChain - localhost-startStop-1 Creating filter chain:
org.springframework.security.web.util.matcher.AnyRequestMatcher@1,
[org.springframework.security.web.context.request.async.WebAsyncManagerIntegrationFilter@169077b, org.springframework.security.web.context.SecurityContextPersistenceFilter@1f86b88, org.springframework.security.web.header.HeaderWriterFilter@1234fc7, org.springframework.security.web.csrf.CsrfFilter@10076f7, org.springframework.security.web.authentication.logout.LogoutFilter@11796fa, org.springframework.security.web.savedrequest.RequestCacheAwareFilter@3b28d2, org.springframework.security.web.servletapi.SecurityContextHolderAwareRequestFilter@17b02a5,

org.springframework.security.web.authentication.AnonymousAuthenticationFilter@cbc77c,
org.springframework.security.web.session.SessionManagementFilter@4f1921,
org.springframework.security.web.access.ExceptionTranslationFilter@17b54f9]

09:58:42,190 INFO readPoolTaskExecutor - localhost-startStop-1 Initializing ExecutorService
'metricsExecutor'

09:58:42,712 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter: 'corsFilter' to urls:
[/RESTCall/*, /rest-api/*]

09:58:42,713 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter: 'accessFilter' to urls:
[/*]

09:58:42,714 INFO vletRegistrationBean - localhost-startStop-1 Mapping servlet: 'dispatcherServlet'
to [/]

09:58:42,719 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter: 'metricFilter' to: [/*]

09:58:42,720 INFO IterRegistrationBean - localhost-startStop-1 Filter accessFilter was not registered
(possibly already registered?)

09:58:42,722 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter:
'springSecurityFilterChain' to: [/*]

09:58:42,722 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter: 'fileUploadFilter' to:
[/*]

09:58:42,723 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter:
'hiddenHttpMethodFilter' to: [/*]

09:58:42,724 INFO IterRegistrationBean - localhost-startStop-1 Mapping filter:
'webRequestLoggingFilter' to: [/*]

09:58:42,855 INFO config - localhost-startStop-1 Initializing Mojarra 2.2.14 (20161114-2152
unable to get svn info) for context "

09:58:43,437 INFO application - localhost-startStop-1 JSF1048: PostConstruct/PreDestroy
annotations present. ManagedBeans methods marked with these annotations will have said
annotations processed.

09:58:44,795 INFO icationEventListener - localhost-startStop-1 Running on PrimeFaces 6.1

09:58:44,847 INFO treamStatServiceStub - main Using stub for StreamStatService

09:58:44,882 INFO treamInfoServiceStub - main Using stub for StreamInfoService

09:58:45,938 INFO TestManager - main TestService loaded 9 tests

09:58:46,331 INFO AccountManager - main Can't find timers config, using default timeouts.

09:58:46,338 INFO AccountManager - main Account 0 set state FREE

09:58:46,342 INFO AccountManager - main Account 1 set state FREE

09:58:47,757 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String
org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a
proxy will NOT be routed to the target instance.

09:58:47,758 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,758 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,758 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,758 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,787 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,787 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,788 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,788 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,788 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,866 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,867 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,867 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,867 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,868 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,890 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,890 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,891 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,891 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,891 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,918 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,919 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,919 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,919 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,920 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,938 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,939 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,940 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,942 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,942 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,965 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,965 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,965 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,966 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,967 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,984 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,985 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,985 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,986 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:47,986 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,000 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,009 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,009 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,010 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,010 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,027 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,027 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,028 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,028 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,028 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,048 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,049 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,049 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,050 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,050 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,066 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,066 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,066 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,067 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,067 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,084 WARN CglibAopProxy - main Unable to proxy method [public final java.lang.String org.crsh.command.BaseCommand.getUnmatched()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,084 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.BaseCommand.execute(java.lang.String) throws java.io.IOException,org.crsh.shell.impl.command.spi.CommandException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,087 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.peekContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,087 WARN CglibAopProxy - main Unable to proxy method [public final void org.crsh.command.AbstractCommand.pushContext(org.crsh.command.InvocationContext) throws java.lang.NullPointerException] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,088 WARN CglibAopProxy - main Unable to proxy method [public final org.crsh.command.InvocationContext org.crsh.command.AbstractCommand.popContext()] because it is final: All calls to this method via a proxy will NOT be routed to the target instance.

09:58:48,474 INFO RmiServiceExporter - main Looking for RMI registry at port '1099' of host [localhost]

09:58:48,504 INFO RmiServiceExporter - main Binding service 'ManagerApi' to RMI registry: RegistryImpl_Stub[UnicastRef [liveRef: [endpoint:[localhost:1099](remote),objID:[0:0:0, 0]]]]

09:58:48,851 INFO pleUrlHandlerMapping - main Mapped URL path [/**/favicon.ico] onto handler of type [class org.springframework.web.servlet.resource.ResourceHttpRequestHandler]

09:58:49,103 INFO appingHandlerMapping - main Mapped "{[/ConferenceApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public synchronized java.util.Map<java.lang.String, java.lang.Object> com.flashphoner.server.manager.apps.conference.ConferenceApp.handleRequest(java.lang.String,java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,103 INFO appingHandlerMapping - main Mapped "{[/RoomApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.Map<java.lang.String, java.lang.Object> com.flashphoner.server.manager.apps.room.RoomApp.handleRequest(java.lang.String,java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,103 INFO appingHandlerMapping - main Mapped "{[/LoadToolApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.Map<java.lang.String, java.lang.Object> com.flashphoner.server.manager.apps.load_tool.sip.LoadToolApp.handleRequest(java.lang.String,java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,104 INFO appingHandlerMapping - main Mapped "{[/LoadToolStreamingApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.Map<java.lang.String, java.lang.Object> com.flashphoner.server.manager.apps.load_tool.streaming.LoadToolStreamingApp.handleRequest(java.lang.String,java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,104 INFO appingHandlerMapping - main Mapped "{[/EchoApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"

onto public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.echo_apps.EchoApp.handleRequest(java.lang.String,java.util.
Map<java.lang.String, java.lang.Object>)

09:58:49,104 INFO appingHandlerMapping - main Mapped
"[/StreamingEchoApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custo
m=[]]" onto public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.echo_apps.StreamingEchoApp.handleRequest(java.lang.String
,java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,105 INFO appingHandlerMapping - main Mapped
"[/CPSLimitEchoApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom
=[]]" onto public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.echo_apps.CPSLimitEchoApp.handleRequest(java.lang.String,j
ava.util.Map<java.lang.String, java.lang.Object>)

09:58:49,105 INFO appingHandlerMapping - main Mapped
"[/QApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]]" onto
public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.qa.QApp.handleRequest(java.lang.String,java.util.Map<java.l
ang.String, java.lang.Object>)

09:58:49,105 INFO appingHandlerMapping - main Mapped
"[/ChatRoomApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}
" onto public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.chat.ChatRoomApp.handleRequest(java.lang.String,java.util.
Map<java.lang.String, java.lang.Object>)

09:58:49,106 INFO appingHandlerMapping - main Mapped
"[/ChatApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]]" onto
public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.chat.ChatApp.handleRequest(java.lang.String,java.util.Map<ja
va.lang.String, java.lang.Object>)

09:58:49,106 INFO appingHandlerMapping - main Mapped
"[/CallApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]]" onto
public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.call.CallApp.handleRequest(java.lang.String,java.util.Map<jav
a.lang.String, java.lang.Object>)

09:58:49,106 INFO appingHandlerMapping - main Mapped
"[/ClickToCallApp/{method}],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}
" onto public java.util.Map<java.lang.String, java.lang.Object>
com.flashphoner.server.manager.apps.call.ClickToCallApp.handleRequest(java.lang.String,java.util.M
ap<java.lang.String, java.lang.Object>)

09:58:49,107 INFO appingHandlerMapping - main Mapped
"[/RESTCallback/sendData],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]]"
onto public void
com.flashphoner.server.manager.controller.old_rest.OldRestCallbackController.handleRequest(com.f
lashphoner.server.common.s.rmi.data.impl.Data)

09:58:49,107 INFO appingHandlerMapping - main Mapped
"[/RESTStream/getStream],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"
onto public com.flashphoner.server.commons.rmi.data.impl.Stream
com.flashphoner.server.manager.controller.old_rest.OldRestStreamController.getStream(java.util.M
ap<java.lang.String, java.lang.Object>)

09:58:49,107 INFO appingHandlerMapping - main Mapped
"[/RESTStream/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"
onto public void
com.flashphoner.server.manager.controller.old_rest.OldRestStreamController.terminate(java.util.Ma
p<java.lang.String, java.lang.Object>)

09:58:49,108 INFO appingHandlerMapping - main Mapped
"[/RESCall/getStatus],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto
public java.lang.String
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.getStatus(java.util.Map<j
ava.lang.String, java.lang.Object>)

09:58:49,108 INFO appingHandlerMapping - main Mapped
"[/RESCall/call],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto
public void
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.call(java.util.Map<java.la
ng.String, java.lang.Object>)

09:58:49,108 INFO appingHandlerMapping - main Mapped
"[/RESCall/hangup],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto
public void
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.hangup(java.util.Map<jav
a.lang.String, java.lang.Object>)

09:58:49,108 INFO appingHandlerMapping - main Mapped
"[/RESCall/sendDTMF],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"
onto public void
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.sendDTMF(java.util.Map<
java.lang.String, java.lang.Object>)

09:58:49,108 INFO appingHandlerMapping - main Mapped
"[/RESCall/findStreams],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"
onto public java.util.List<com.flashphoner.server.commons.rmi.data.impl.Stream>
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.findStreams(java.util.Map
<java.lang.String, java.lang.Object>)

09:58:49,109 INFO appingHandlerMapping - main Mapped
"[/RESCall/findRtspAgents],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"
" onto public java.util.List<com.flashphoner.server.commons.rmi.data.impl.RtspAgentFilter>
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.findRtspAgents(java.util.
Map<java.lang.String, java.lang.Object>)

09:58:49,109 INFO appingHandlerMapping - main Mapped
"[/RESCall/findAllRtspAgents],methods=[],params=[],headers=[],consumes=[],produces=[],custom=

[]]" onto public java.util.List<com.flashphoner.server.common.s.rmi.data.impl.RtspAgentFilter>
com.flashphoner.server.manager.controller.old_rest.OldRestCallController.findAllRtspAgents()

09:58:49,109 INFO appingHandlerMapping - main Mapped

"[/RESTCall/shutdownRtspAgent],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public void

com.flashphoner.server.manager.controller.old_rest.OldRestCallController.shutdownRtspAgent(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,109 INFO appingHandlerMapping - main Mapped

"[/RESTCall/startupRtspAgent],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public void

com.flashphoner.server.manager.controller.old_rest.OldRestCallController.startupRtspAgent(java.util.Map<java.lang.String, java.lang.String>)

09:58:49,109 INFO appingHandlerMapping - main Mapped

"[/RESTCall/getCalls],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Call>

com.flashphoner.server.manager.controller.old_rest.OldRestCallController.getCalls()

09:58:49,110 INFO appingHandlerMapping - main Mapped "[/rest-

api/cdn/show_routes],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public java.util.Map<java.lang.String, java.lang.String>

com.flashphoner.server.manager.controller.rest.RestCDNController.showRoutes()

09:58:49,110 INFO appingHandlerMapping - main Mapped "[/rest-

api/call/send_dtmf],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public void

com.flashphoner.server.manager.controller.rest.RestCallController.sendDTMF(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,111 INFO appingHandlerMapping - main Mapped "[/rest-

api/call/startup],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public void

com.flashphoner.server.manager.controller.rest.RestCallController.startup(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,111 INFO appingHandlerMapping - main Mapped "[/rest-

api/call/inject_sound],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public void

com.flashphoner.server.manager.controller.rest.RestCallController.injectSound(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,111 INFO appingHandlerMapping - main Mapped "[/rest-

api/call/find_all],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Call>

com.flashphoner.server.manager.controller.rest.RestCallController.findAll()

09:58:49,111 INFO appingHandlerMapping - main Mapped "[/rest-

api/call/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public void

com.flashphoner.server.manager.controller.rest.RestCallController.terminate(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,111 INFO appingHandlerMapping - main Mapped "{[/rest-api/call/find],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.List<com.flashphoner.server.commons.rmi.data.impl.Call>
com.flashphoner.server.manager.controller.rest.RestCallController.find(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,112 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/mute],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestTransponderController.mute(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,112 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/unmute],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestTransponderController.unmute(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,112 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/sound_on],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestTransponderController.soundOn(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,113 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/sound_off],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestTransponderController.soundOff(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,118 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/startup],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public com.flashphoner.server.commons.rmi.data.impl.Transponder
com.flashphoner.server.manager.controller.rest.RestTransponderController.startup(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,119 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/find_all],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.List<com.flashphoner.server.commons.rmi.data.impl.Transponder>
com.flashphoner.server.manager.controller.rest.RestTransponderController.findAll()

09:58:49,121 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestTransponderController.terminate(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,121 INFO appingHandlerMapping - main Mapped "{[/rest-api/push/find],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public

```
java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Transponder>  
com.flashphoner.server.manager.controller.rest.RestTransponderController.find(java.util.Map<java.l  
ang.String, java.lang.Object>)
```

```
09:58:49,122 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/connection/set_log_level],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]  
}" onto public void  
com.flashphoner.server.manager.controller.rest.RestConnectionController.setLogLevel(java.util.Map  
<java.lang.String, java.lang.Object>)
```

```
09:58:49,122 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/connection/find_all],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"  
onto public java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Connection>  
com.flashphoner.server.manager.controller.rest.RestConnectionController.findAll()
```

```
09:58:49,122 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/connection/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}"  
onto public void  
com.flashphoner.server.manager.controller.rest.RestConnectionController.terminate(java.util.Map<j  
ava.lang.String, java.lang.Object>)
```

```
09:58:49,122 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/connection/find],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto  
public java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Connection>  
com.flashphoner.server.manager.controller.rest.RestConnectionController.find(java.util.Map<java.l  
ang.String, java.lang.Object>)
```

```
09:58:49,123 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/stream/snapshot],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto  
public com.flashphoner.server.common.s.rmi.data.impl.SnapshotData  
com.flashphoner.server.manager.controller.rest.RestStreamController.snapshot(java.util.Map<java.l  
ang.String, java.lang.Object>)
```

```
09:58:49,123 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/stream/find_all],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto  
public java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Stream>  
com.flashphoner.server.manager.controller.rest.RestStreamController.findAll()
```

```
09:58:49,123 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/stream/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto  
public void  
com.flashphoner.server.manager.controller.rest.RestStreamController.terminate(java.util.Map<java.l  
ang.String, java.lang.Object>)
```

```
09:58:49,123 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/stream/find],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public  
java.util.List<com.flashphoner.server.common.s.rmi.data.impl.Stream>  
com.flashphoner.server.manager.controller.rest.RestStreamController.find(java.util.Map<java.lang.S  
tring, java.lang.Object>)
```

```
09:58:49,123 INFO  appingHandlerMapping - main Mapped "{[/rest-  
api/data/send],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public
```

void

com.flashphoner.server.manager.controller.rest.RestDataController.send(com.flashphoner.server.commons.rmi.data.impl.Data)

09:58:49,124 INFO appingHandlerMapping - main Mapped "{[/rest-api/pull/find_all],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.List<com.flashphoner.server.commons.rmi.data.IAgentFilter>
com.flashphoner.server.manager.controller.rest.RestPullStreamController.findAll()

09:58:49,124 INFO appingHandlerMapping - main Mapped "{[/rest-api/pull/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestPullStreamController.terminate(java.util.Map<java.lang.String, java.lang.String>)

09:58:49,124 INFO appingHandlerMapping - main Mapped "{[/rest-api/pull/pull],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestPullStreamController.pull(java.util.Map<java.lang.String, java.lang.String>)

09:58:49,125 INFO appingHandlerMapping - main Mapped "{[/rest-api/rtsp/startup],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestRtspController.startup(java.util.Map<java.lang.String, java.lang.String>)

09:58:49,125 INFO appingHandlerMapping - main Mapped "{[/rest-api/rtsp/find_all],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.List<com.flashphoner.server.commons.rmi.data.impl.RtspAgentFilter>
com.flashphoner.server.manager.controller.rest.RestRtspController.findAll()

09:58:49,125 INFO appingHandlerMapping - main Mapped "{[/rest-api/rtsp/terminate],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void
com.flashphoner.server.manager.controller.rest.RestRtspController.terminate(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,125 INFO appingHandlerMapping - main Mapped "{[/rest-api/rtsp/find],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.util.List<com.flashphoner.server.commons.rmi.data.impl.RtspAgentFilter>
com.flashphoner.server.manager.controller.rest.RestRtspController.find(java.util.Map<java.lang.String, java.lang.Object>)

09:58:49,126 INFO appingHandlerMapping - main Mapped "{[/],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public java.lang.String com.flashphoner.server.manager.controller.ManagerController.home()

09:58:49,126 INFO appingHandlerMapping - main Mapped "{[/demo/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.demo(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.io.IOException

09:58:49,126 INFO appingHandlerMapping - main Mapped

"[/shared/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.downloadSharedFile(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,127 INFO appingHandlerMapping - main Mapped

"[/embed_player],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.getEmbedPlayer(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,127 INFO appingHandlerMapping - main Mapped

"[/crossdomain.xml],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.getCrossdomainXML(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,127 INFO appingHandlerMapping - main Mapped

"[/demo2/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.demo2(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.io.IOException

09:58:49,128 INFO appingHandlerMapping - main Mapped "[/client/records/** | |

/client2/records/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.downloadRecords(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,128 INFO appingHandlerMapping - main Mapped

"[/client/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.downloadFile(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,128 INFO appingHandlerMapping - main Mapped

"[/client2/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.downloadFileAPI2(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,128 INFO appingHandlerMapping - main Mapped

"[/logs/bugreports/**],methods=[GET],params=[],headers=[],consumes=[],produces=[],custom=[]}" onto public void

com.flashphoner.server.manager.controller.ClientContentController.downloadSessionDebugReport(javax.servlet.http.HttpServletRequest,javax.servlet.http.HttpServletResponse) throws java.lang.Exception

09:58:49,138 INFO appingHandlerMapping - main Mapped
"[/error],methods=[],params=[],headers=[],consumes=[],produces=[text/html],custom=[]" onto
public org.springframework.web.servlet.ModelAndView
org.springframework.boot.autoconfigure.web.BasicErrorController.errorHtml(javax.servlet.http.HttpServletRequest)

09:58:49,138 INFO appingHandlerMapping - main Mapped
"[/error],methods=[],params=[],headers=[],consumes=[],produces=[],custom=[]" onto public
org.springframework.http.ResponseEntity<java.util.Map<java.lang.String, java.lang.Object>>
org.springframework.boot.autoconfigure.web.BasicErrorController.error(javax.servlet.http.HttpServletRequest)

09:58:49,189 INFO pleUrlHandlerMapping - main Root mapping to handler of type [class
org.springframework.web.servlet.mvc.ParameterizableViewController]

09:58:49,212 INFO pleUrlHandlerMapping - main Mapped URL path [/webjars/**] onto handler of
type [class org.springframework.web.servlet.resource.ResourceHttpRequestHandler]

09:58:49,212 INFO pleUrlHandlerMapping - main Mapped URL path [/**] onto handler of type [class
org.springframework.web.servlet.resource.ResourceHttpRequestHandler]

09:58:50,089 INFO on\$CrshBootstrapBean - main Configuring property auth.spring.roles=ADMIN
from properties

09:58:50,135 INFO on\$CrshBootstrapBean - main Configuring property ssh.port=2000 from
properties

09:58:50,135 INFO on\$CrshBootstrapBean - main Configuring property ssh.auth_timeout=600000
from properties

09:58:50,135 INFO on\$CrshBootstrapBean - main Configuring property ssh.idle_timeout=600000
from properties

09:58:50,136 INFO on\$CrshBootstrapBean - main Configuring property ssh.default_encoding=UTF-8
from properties

09:58:50,136 INFO on\$CrshBootstrapBean - main Configuring property auth=spring from properties

09:58:50,146 INFO SSHPlugin - main Booting SSHD

09:58:50,208 INFO SecurityUtils - main BouncyCastle already registered as a JCE provider

09:58:50,308 INFO SSHLifecycle - main About to start CRaSSHd

09:58:50,344 INFO SSHLifecycle - main CRaSSHd started on port 2000

09:58:50,571 INFO otationMBeanExporter - main Registering beans for JMX exposure on startup

09:58:50,576 INFO otationMBeanExporter - main Bean with name 'dataSource' has been
autodetected for JMX exposure

09:58:50,582 INFO otationMBeanExporter - main Located MBean 'dataSource': registering with JMX
server as MBean [com.zaxxer.hikari:name=dataSource,type=HikariDataSource]

09:58:50,740 INFO ndpointMBeanExporter - main Registering beans for JMX exposure on startup

09:58:52,173 INFO ItLifecycleProcessor - main Starting beans in phase -2147483648

09:58:52,175 INFO ItLifecycleProcessor - main Starting beans in phase 0

09:58:52,179 INFO EventDrivenConsumer - main Adding {logging-channel-adapter:_org.springframework.integration.errorLogger} as a subscriber to the 'errorChannel' channel

09:58:52,179 INFO lishSubscribeChannel - main Channel 'application:dev:9091.errorChannel' has 1 subscriber(s).

09:58:52,179 INFO EventDrivenConsumer - main started
_org.springframework.integration.errorLogger

09:58:52,180 INFO ItLifecycleProcessor - main Starting beans in phase 2147483647

09:58:52,279 INFO ddedServletContainer - main Tomcat started on port(s): 9091/http 8888/https

09:58:52,832 INFO gerCommandLineRunner - main Starting server node

09:58:52,832 INFO ServerProcess - main Starting server node

09:58:52,841 INFO ServerProcess - main Arg: java

09:58:52,841 INFO ServerProcess - main Arg: -Xmx1024M

09:58:52,841 INFO ServerProcess - main Arg: -XX:+UseConcMarkSweepGC

09:58:52,841 INFO ServerProcess - main Arg: -XX:NewSize=1024m

09:58:52,841 INFO ServerProcess - main Arg: -XX:+UseCMSInitiatingOccupancyOnly

09:58:52,841 INFO ServerProcess - main Arg: -XX:CMSInitiatingOccupancyFraction=70

09:58:52,841 INFO ServerProcess - main Arg: -Djava.net.preferIPv4Stack=true

09:58:52,841 INFO ServerProcess - main Arg: -Dcom.sun.management.jmxremote=true

09:58:52,841 INFO ServerProcess - main Arg: -
Dcom.sun.management.jmxremote.local.only=false

09:58:52,841 INFO ServerProcess - main Arg: -Dcom.sun.management.jmxremote.ssl=false

09:58:52,841 INFO ServerProcess - main Arg: -
Dcom.sun.management.jmxremote.authenticate=false

09:58:52,841 INFO ServerProcess - main Arg: -Dcom.sun.management.jmxremote.port=50999

09:58:52,841 INFO ServerProcess - main Arg: -Djava.rmi.server.hostname=localhost

09:58:52,841 INFO ServerProcess - main Arg: -
XX:ErrorFile=/usr/local/FlashphonerWebCallServer/logs/error%p.log

09:58:52,841 INFO ServerProcess - main Arg: -XX:+PrintGCDateStamps

09:58:52,841 INFO ServerProcess - main Arg: -XX:+PrintGCDetails

09:58:52,841 INFO ServerProcess - main Arg: -
Xloggc:/usr/local/FlashphonerWebCallServer/logs/gc-core-2018-06-07_09-58.log

09:58:52,841 INFO ServerProcess - main Arg: -XX:+ExplicitGCInvokesConcurrent

```
09:58:52,841 INFO      ServerProcess - main Arg: -Dsun.rmi.dgc.client.gcInterval=36000000000
09:58:52,841 INFO      ServerProcess - main Arg: -Dsun.rmi.dgc.server.gcInterval=36000000000
09:58:52,841 INFO      ServerProcess - main Arg: -
Dcom.flashphoner.fms.AppHome=/usr/local/FlashphonerWebCallServer
09:58:52,841 INFO      ServerProcess - main Arg: -
Djava.library.path=/usr/local/FlashphonerWebCallServer/lib/so:/usr/local/FlashphonerWebCallServe
r/lib
09:58:52,841 INFO      ServerProcess - main Arg: -DWCS_NON_ROOT=false
09:58:52,841 INFO      ServerProcess - main Arg: -DsessionDebugEnabled=false
09:58:52,841 INFO      ServerProcess - main Arg: -Djdk.tls.client.protocols="TLSv1,TLSv1.1,TLSv1.2"
09:58:52,841 INFO      ServerProcess - main Arg: -cp
09:58:52,841 INFO      ServerProcess - main Arg: /usr/local/FlashphonerWebCallServer/lib/*
09:58:52,841 INFO      ServerProcess - main Arg: com.flashphoner.server.Server
09:58:52,862 INFO      Manager - main Started Manager in 29.043 seconds (JVM running for
30.588)
^Z
[1]+  Stopped                  tail -f /usr/local/FlashphonerWebCallServer/logs/flashphoner_manager.log
root@kdogutas:~/flashphoner/FlashphonerWebCallServer-5.0.3233# service webcallserver start
```